

To: Rao, Kate[Rao.kate@epa.gov]
From: Rumrill, Nancy
Sent: Wed 3/1/2017 9:14:19 PM
Subject: FW: Question regarding step rate testing



Nancy Rumrill (rumrill.nancy@epa.gov)

Drinking Water Protection Section (WTR-3-2)

US EPA, Region IX

75 Hawthorne St.

San Francisco, CA 94105

Phone (415) 972-3293

From: JAMES D WALKER [mailto:[Ex. 6 - Personal Privacy](#)]
Sent: Wednesday, March 01, 2017 1:00 PM
To: Rumrill, Nancy <Rumrill.Nancy@epa.gov>
Subject: RE: Question regarding step rate testing

Nancy,

Ex. 5 - Deliberative Process

Jim

From: Rumrill, Nancy
Sent: Wednesday, March 1, 2017 11:40 AM
To: JAMES D WALKER
Cc: Rao, Kate
Subject: FW: Question regarding step rate testing

Hi Jim,

Ex. 5 - Deliberative Process

Thanks, Nancy



United States Environmental Protection Agency

Nancy Rumrill (rumrill.nancy@epa.gov)

Drinking Water Protection Section (WTR-3-2)

US EPA, Region IX

75 Hawthorne St.

San Francisco, CA 94105

Phone (415) 972-3293

From: Doug Bartlett [<mailto:DBartlett@clearcreekassociates.com>]
Sent: Wednesday, March 01, 2017 7:40 AM
To: Rumrill, Nancy <Rumrill.Nancy@epa.gov>
Cc: Rebecca Sawyer <rsawyer@excelsiormining.com>; Alison Jones <ajones@clearcreekassociates.com>; Roland Goodgame <rgoodgame@excelsiormining.com>
Subject: Question regarding step rate testing

Nancy – in our meeting last week, you may recall we had a discussion about step rate testing to verify the fracture gradient proposed for the Gunnison project. I have attached two papers that I found online from EPA regarding the methodology for step rate testing. Are there any other papers that I should be reviewing? The step rate methodology that is described seems to match with what Excelsior did to obtain the fracture gradient value proposed in the UIC application.

Any guidance you can give me on this would be greatly appreciated!

Thank you,

Doug Bartlett

R. Douglas Bartlett, RG, CHG

CLEAR CREEK ASSOCIATES

GEO-LOGIC ASSOCIATES

6155 E. Indian School Rd., Suite 200

Scottsdale, AZ 85251-5499

480-659-7131 (office)

480-659-7143 (fax)

602-762-0896 (cell)

www.clearcreekassociates.com

This e-mail together with any attachments is confidential and may be the subject of legal privilege. If you are not the intended recipient please reply to this e-mail and delete this message. You are not permitted to print, copy, disclose or use the content in any way. Clear Creek Associates accepts no responsibility for changes made to this e-mail or any attachments after transmission from Clear Creek Associates. Thank you.